



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	<b>Summary</b>		Testing is conducted yearly and is not required this month				
	EPA 22-Air emissions monitoring, main boiler PPU					0.35 g/m3	Yearly
		Lab report number					
		Sampled date					
		Lab received date					
Report received date							
<b>Summary</b>		Testing is conducted yearly and is not required this month					



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 7- Air emissions monitoring, DPU boiler Stack				0.25 g/m3	Yearly
	Lab report number Sampled date Lab received date Report received date <b>Summary</b> Testing is conducted yearly and is not required this month					
	EPA 8-Air emissions monitoring, Whey plant stack DPU				0.25 g/m3	Special frequency 2
	Lab report number Sampled date Lab received date Report received date <b>Summary</b> Testing is conducted yearly and is not required this month					



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential property				LA10(15 minutes) 45dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		<b>Summary</b> Testing is conducted yearly and is not required this month				
Noise	L3.3 - Noise emissions during day time at the most affected residential property				LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		<b>Summary</b> Testing is conducted yearly and is not required this month				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats				none	Daily	
		Irrigation Days	30				
		Volume (Average)	1339	kL/day			
		Volume (Min-Max)	1198 - 1752	kL/day			
		Sampled date	30/11/2014				
	<b><u>Summary</u></b>						
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD					none	Quarterly
		Biochemical oxygen demand	5	mg/L			
		Conductivity	1300	µS/cm			
		Nitrate	0.01	mg/L			
PH		6.3					
Lab report number		N049879					
Sampled date		4/11/2014					
Lab received date		5/11/2014					
Report received date		14/11/2014					
<b><u>Summary</u></b>							



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater monitoring point at corner of Daisy Hill & Buckajo Rd				none	Quarterly
		Conductivity	900	µS/cm		
		Depth	1.65	m		
		Nitrate	2.2	mg/L		
		Nitrogen (total)	3	mg/L		
		Phosphorus (total)	0.093	mg/L		
		PH	6.7			
		Available phosphorus	0.039	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater monitoring point at 'The Ranch' fenceline				none	Quarterly
		Conductivity	1000	µS/cm		
		Depth	3.75	m		
		Nitrate	0.04	mg/L		
		Nitrogen (total)	0.27	mg/L		
		Phosphorus (total)	0.12	mg/L		
		PH	6.8			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater monitoring point at Bega River crossing, Factory Flats				none	Quarterly
		Conductivity	780	µS/cm		
		Depth	4.75	m		
		Nitrate	1.6	mg/L		
		Nitrogen (total)	2	mg/L		
		Phosphorus (total)	0.004	mg/L		
		PH	6.3			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater monitoring point at Apps Farm near bridge				none	Quarterly
		Conductivity	1300	µS/cm		
		Depth	4.80	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	1.5	mg/L		
		Phosphorus (total)	0.25	mg/L		
		PH	6.8			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				





# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater monitoring point at Apps Farm, east river flats				none	Quarterly
		Conductivity	1100	µS/cm		
		Depth	5.75	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.57	mg/L		
		Phosphorus (total)	0.36	mg/L		
		PH	6.4			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater monitoring point at Apps/Ubrihien farm south				none	Quarterly
		Conductivity	220	µS/cm		
		Depth	5.80	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	1	mg/L		
		Phosphorus (total)	0.15	mg/L		
		PH	6.5			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

PO Box 123  
Bega NSW 2550  
Australia

Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

EPA Licence number: 1511

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater monitoring point at Ubrihien farm west				none	Quarterly
		Conductivity	910	µS/cm		
		Depth	6.00	m		
		Nitrate	1.3	mg/L		
		Nitrogen (total)	1.6	mg/L		
		Phosphorus (total)	0.088	mg/L		
		PH	5.8			
		Available phosphorus	0.004	mg/L		
		Lab report number	N049892			
		Sampled date	3/11/2014			
		Lab received date	5/11/2014			
		Report received date	14/11/2014			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly	
		Biochemical oxygen demand	4600	mg/L			
		Conductivity	1893	µS/cm			
		Faecal coliforms	240000000	cfu/100 ml			
		Nitrate	1	mg/L			
		Nitrogen (total)	230	mg/L			
		Phosphorus (total)	67	mg/L			
		Sodium	610	mg/L			
		Sodium adsorption ratio	16				
		Total suspended solids	1300	mg/L			
		PH	4.46				
		Lab report number	N050637 N049806				
		Sampled date	30/11/2014				
		Lab received date	5/12/2014				
Report received date	17/12/2014						
<b>Summary</b>							



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Biochemical oxygen demand	960	mg/L		
		Conductivity	2800	µS/cm		
		Faecal coliforms	100000	cfu/100 ml		
		Nitrate	1	mg/L		
		Nitrogen (total)	100	mg/L		
		Phosphorus (total)	34	mg/L		
		Sodium	320	mg/L		
		Total suspended solids	92	mg/L		
		PH	6.2			
		Irrigation Days	30			
		Volume (Average)	983	kL/day		
		Volume (Min-Max)	213 - 1877	kL/day		
		Lab report number	N049889			
		Sampled date	18/11/2014			
		Lab received date	20/11/2014			
		Report received date	4/12/2014			
<b><u>Summary</u></b>						



# Environment Monitoring Report

**November 2014**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

## Glossary

Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam