

October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 12-Air emissions monitoring, back up boiler PPU			1	0.35 g/m3	Yearly
		Nitrogen Oxides	0.22	g/m3	[T
		Lab report number	R003728	ý — — — — — — — — — — — — — — — — — — —		
		Sampled date	23/10/2017	, ,		
		Lab received date		, ,		
		Report received date	7/12/2017	·		
	EPA 22-Air emissions monitoring, main boiler PPU	Nitrogen Oxides	0.2	g/m3	0.35 g/m3	Yearly
		Lab report number	R003728	6/1113		
		Sampled date	23/10/2017			
		Lab received date	; ;		 	; ; !
		Report received date	7/12/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions			1	0.35 g/m3	Yearly
	monitoring, gas boiler stack DPU	Nitrogen Oxides	0.093	g/m3	[
	DI O	Lab report number	R003728	ý — — — — — — — — — — — — — — — — — — —		
		Sampled date	24/10/2017	y — — — — — — — — — — — — — — — — — — —		
		Lab received date				
		Report received date	7/12/2017			
	EPA 7- Air emissions monitoring, DPU boiler Stack	Particulate matter	0.194	g/m2	0.25 g/m3	Yearly
			0.184	g/m3		
		Lab report number	R003728	; ;	i 	
		Sampled date	24/10/2017	; {	i 	
		Lab received date		ļ		
		Report received date	7/12/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air EPA 8-Air emissions monitoring, Whey plant	EPA 8-Air emissions monitoring, Whey plant stack				0.25 g/m3	Special frequency 2
	DPU	Particulate matter	0.219	g/m3		
		Lab report number	R003728			
		Sampled date	23/10/2017			
		Lab received date				
		Report received date	7/12/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
		<u>Summary</u>				
		Testing is conducted yearly a	and is not required this r	month		
	L3.3 - Noise emissions during day time at the most affected residential property				LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date	· · · · · · · · · · · · · · · · · · ·			
		Summary Testing is conducted quarter	rly and is not required th	is month		



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather				none	Daily
		Irrigation Days	31	: :		
	Storage Dam, Angeldale Apps	Volume (Average)	1420	kL/day		
	Farm West, Apps Farm East,	Volume (Min-Max)	1181 - 1589	kL/day		
	Apps Flat, Rockleigh, Ubrihien & Factory Flats	Sampled date	31/10/2017			
	& ractory riats	Summary				
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD	Dischanical avvent damand	-		none	Quarterly
		Biochemical oxygen demand	5	mg/L		
		Conductivity	980	μS/cm		
		Nitrate	0.02	mg/L		
		PH	6.6			
		Lab report number	N071433			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater				none	Quarterly
	monitoring point at corner of Daisy Hill & Buckajo Rd	Conductivity	850	μS/cm		Ţ
	Daisy Tilli & Buckajo Nu	Depth	3.30	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.96	mg/L		
		Phosphorus (total)	0.01	mg/L		
		PH	6.6			
		Available phophorus	0.004	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater				none	Quarterly
	monitoring point at 'The Ranch' fenceline	Conductivity	1100	μS/cm		Ţ
	rencenne	Depth	4.50	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.6	mg/L		
		Phosphorus (total)	0.015	mg/L		
		PH	6.7			
		Available phophorus	0.004	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater				none	Quarterly
	monitoring point at Bega River crossing, Factory Flats	Conductivity	750	μS/cm		
	crossing, ractory riats	Depth	5.20	m		
		Nitrate	0.04	mg/L		
		Nitrogen (total)	0.81	mg/L		
		Phosphorus (total)	0.019	mg/L		
		PH	6.5			
		Available phophorus	0.008	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater				none	Quarterly
	monitoring point at Apps Farm near bridge	Conductivity	1000	μS/cm		
	illear bridge	Depth	5.15	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	2.8	mg/L		
		Phosphorus (total)	0.073	mg/L		
		PH	6.8			
		Available phophorus	0.004	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater				none	Quarterly
	monitoring point at Apps Farm, east river flats	Conductivity	970	μS/cm		
	east river riats	Depth	6.40	m		
		Nitrate	0.1	mg/L		
		Nitrogen (total)	0	mg/L		
		Phosphorus (total)	0.011	mg/L		
		PH	6.4			
		Available phophorus	0.004	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater				none	Quarterly
	monitoring point at Apps/Ubrihien farm south	Conductivity	170	μS/cm		
	Apps/Oblinien farm south	Depth	5.95	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	1.3	mg/L		
		Phosphorus (total)	0.024	mg/L		
		PH	6.4			
		Available phophorus	0.024	mg/L		
		Lab report number	N071431			
		Sampled date	24/10/2017			
		Lab received date	25/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater				none	Quarterly
	monitoring point at Ubrihien farm west	Conductivity	930	μS/cm]
	iaiii west	Depth	7.10	m		
		Nitrate	3.7	mg/L		
		Nitrogen (total)	4.4	mg/L		
		Phosphorus (total)	0.038	mg/L		
		PH	6.3			
		Available phophorus	0.004	mg/L		
		Lab report number	N071431			
		Sampled date	23/10/2017			
		Lab received date	24/10/2017			
		Report received date	2/11/2017			
		Summary				



October 2017

EPA Licence number: 1511

PO Box 123 Bega NSW 2550

Australia Reception Ph: +61-2-6491 7777

Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number			 	
		Sampled date	31/10/2017			
		Lab received date				
		Report received date				
		Summary No irrigation from this point f	or October 2017			





EPA Licence number: 1511

Environment Monitoring Report

October 2017

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777

Environment Line Ph: +61-2-6491 7691

Glossary				
Abbreviation	Description			
DPU	Dairy Processing Unit, Lagoon St			
Lab	Laboratory			
PPU	Processing & Packaging Plant, Ridge St			
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs			
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.			
WWSD	Wet weather storage dam			