

October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions				0.35 g/m3	Yearly	
	monitoring, back up boiler PPU	Lab report number				 	
		Sampled date					
		Lab received date					
		Report received date					
		<u>Summary</u>					
	EPA 22-Air emissions	Testing is conducted yearly	and is not required this i	month	0.35 g/m3	Yearly	
	monitoring, main boiler PPU	Lab report number			!	T	
		Sampled date					
		Lab received date					
		Report received date					
		Summary					
		Testing is conducted yearly	and is not required this I	month			



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions				0.35 g/m3	Yearly
	monitoring, gas boiler stack DPU	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
	EPA 7- Air emissions	Testing is conducted yearly	and is not required this i	month	0.25 g/m3	Yearly
	monitoring, DPU boiler Stack	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary Testing is conducted yearly	and is not required this r	month		



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air EPA 8-Air emissions monitoring, Whey plant stack DPU					0.25 g/m3	Special frequency 2
	DPU	Lab report number				
	Sampled date					
		Lab received date				
		Report received date				
	Summary Testing is conducted yearly and	l is not required this	month			



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
	L3.3 - Noise emissions during day time at the most affected residential property	Testing is conducted yearly	and is not required this i	nonun	LA1(15 minute) 53 dB	Yearly
					(A)	
		Lab report number				
		Sampled date				
		Report received date				
		Summary Testing is conducted yearly	and is not required this I	month		



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
EPA 1 – Volume monitoring from DPU to utilisation areas -				none	Daily	
	Irrigation Days	31	:			
Storage Dam, Angeldale Apps	Volume (Average)	1641	kL/day			
Farm West, Apps Farm East,	Volume (Min-Max)	583 - 2000	kL/day			
	Sampled date	31/10/2015				
a ractory riats	<u>Summary</u>					
EPA 23-Environmental monitoring subsurface drainage sump at WWSD	Biochemical oxygen demand	5	mg/L	none	Quarterly	
		1600	+			
	Nitrate	0.08	mg/L			
	PH	6				
	Lab report number	N056537				
	Sampled date	21/10/2015				
	Lab received date	22/10/2015				
	Report received date	30/10/2015				
	Summary					
	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats EPA 23-Environmental monitoring subsurface drainage	FPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats EPA 23-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environmental Monitoring subsurface drainage sump at WWSD Biochemical oxygen demand Conductivity Nitrate PH Lab report number Sampled date Lab received date Report received date	FPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats FPA 23-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environmental Microbian Micro	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats EPA 23-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environ	FPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats FPA 23-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environmental Monitoring subsurface drainage sump at WWSD EPA 24-Environmental monitoring subsurface drainage sump at WWSD EPA 25-Environmental monitoring subsurface drainage sump at WWSD EPA 26-Environmental monitoring subsurface drainage sump at WWSD EPA 27-Environmental monitoring subsurface drainage sump at WWSD EPA 28-Environmental monitoring subsurface drainage sump at WWSD EPA 29-Environmental monitoring subsurface drainage sump at WWSD EPA 29-Environmental monitoring subsurface drainage sump at WWSD EPA 29-Environmental monitoring subsurface drainage sump at WWSD EPA 21-Environmental monitoring subsurface drainage sump at WWSD EPA 21-Environmental monitoring subsurface drainage sump at WWSD EPA 22-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environmental monitoring subsurface drainage sump at WWSD EPA 23-Environ	



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater				none	Quarterly
	monitoring point at corner of Daisy Hill & Buckajo Rd	Conductivity	670	μS/cm		
	Daisy Till & Backajo Na	Depth	1.40	m		
		Nitrate	1.9	mg/L		
		Nitrogen (total)	3.1	mg/L		
		Phosphorus (total)	0.048	mg/L		
		PH	6.6			
		Available phophorus	0.023	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater				none	Quarterly
	monitoring point at 'The Ranch' fenceline	Conductivity	1500	μS/cm		
	rencenne	Depth	3.60	m		
		Nitrate	0.03	mg/L		
		Nitrogen (total)	0.77	mg/L		
		Phosphorus (total)	0.012	mg/L		
		PH	6.5			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater				none	Quarterly
	monitoring point at Bega River crossing, Factory Flats	Conductivity	980	μS/cm		
	crossing, ractory riats	Depth	4.65	m		
		Nitrate	3.4	mg/L		
		Nitrogen (total)	3.8	mg/L		
		Phosphorus (total)	0.008	mg/L		
		PH	6.2			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater				none	Quarterly
	monitoring point at Apps Farm near bridge	Conductivity	1200	μS/cm		
	illear bridge	Depth	4.80	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	1.6	mg/L		
		Phosphorus (total)	0.012	mg/L		
		PH	6.7			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater				none	Quarterly
	monitoring point at Apps Farm, east river flats	Conductivity	1000	μS/cm		
	east river riats	Depth	5.65	m		
		Nitrate	0.18	mg/L		
		Nitrogen (total)	0.92	mg/L		
		Phosphorus (total)	0.036	mg/L		
		PH	6.5			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater				none	Quarterly
	monitoring point at Apps/Ubrihien farm south	Conductivity	230	μS/cm		
	Apps/Oblinien farm south	Depth	5.50	m		
		Nitrate	0.73	mg/L		
		Nitrogen (total)	1.8	mg/L		
		Phosphorus (total)	0.052	mg/L		
		PH	6.6			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater				none	Quarterly
	monitoring point at Ubrihien farm west	Conductivity	1100	μS/cm		
	idili west	Depth	5.80	m		
		Nitrate	1.8	mg/L		
		Nitrogen (total)	2.3	mg/L		
		Phosphorus (total)	0.032	mg/L		
		PH	6.1			
		Available phophorus	0.004	mg/L		
		Lab report number	N056263			
		Sampled date	7/10/2015			
		Lab received date	8/10/2015			
		Report received date	19/10/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly
		Biochemical oxygen demand	2600	mg/L		Ţ
		Conductivity	2119	μS/cm		
		Faecal coliforms	100000	cfu/100 ml		
		Nitrate	69	mg/L		
		Nitrogen (total)	190	mg/L		
		Phosphorus (total)	47	mg/L		
		Sodium	430	mg/L		
		Sodium adsorption ratio	13			
		Total suspended solids	800	mg/L		
		PH	6.26			
		Lab report number	N056770			
		Sampled date	31/10/2015			
		Lab received date	4/11/2015			
		Report received date	13/11/2015			
		Summary				



October 2015

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Biochemical oxygen demand	1900	mg/L		
		Conductivity	4300	μS/cm		
		Faecal coliforms	10000	cfu/100 ml		
		Nitrate	1	mg/L		
		Nitrogen (total)	150	mg/L		
		Phosphorus (total)	53	mg/L		
		Sodium	510	mg/L		
		Sodium adsorption ratio	15			
		Total suspended solids	230	mg/L		
		PH	5.4			
		Irrigation Days	8			
		Volume (Average)	438	kL/day		
		Volume (Min-Max)	143 - 715	kL/day		
		Lab report number	N056413			
		Sampled date	14/10/2015			
		Lab received date	15/10/2015			
		Report received date	26/10/2015			
		Summary				·



PO Box 123



EPA Licence number: 1511

Environment Monitoring Report

October 2015

Bega NSW 2550 Australia

Glossary		
Abbreviation	Description	
DPU	Dairy Processing Unit, Lagoon St	
Lab	Laboratory	
PPU	Processing & Packaging Plant, Ridge St	
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs	
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.	
WWSD	Wet weather storage dam	