



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	<b>Summary</b>		Testing is conducted yearly and is not required this month				
	EPA 22-Air emissions monitoring, main boiler PPU					0.35 g/m3	Yearly
		Lab report number					
		Sampled date					
		Lab received date					
Report received date							
<b>Summary</b>		Testing is conducted yearly and is not required this month					



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 24 - Air emissions monitoring, gas boiler stack DPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	<b>Summary</b>		Testing is conducted yearly and is not required this month				
	EPA 7- Air emissions monitoring, DPU boiler Stack					0.25 g/m3	Yearly
		Lab report number					
		Sampled date					
		Lab received date					
Report received date							
<b>Summary</b>		Testing is conducted yearly and is not required this month					



**BEGA CHEESE**  
SINCE 1899

# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 8-Air emissions monitoring, Whey plant stack DPU				0.25 g/m3	Special frequency 2
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
<p><b><u>Summary</u></b> Testing is conducted yearly and is not required this month</p>						



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential property				LA10(15 minutes) 45dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		<b>Summary</b> Testing is conducted yearly and is not required this month				
Noise	L3.3 - Noise emissions during day time at the most affected residential property				LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		<b>Summary</b> Testing is conducted yearly and is not required this month				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats				none	Daily	
		Irrigation Days	30				
		Volume (Average)	1402	kL/day			
		Volume (Min-Max)	1150 - 1710	kL/day			
		Sampled date	30/11/2017				
	<b><u>Summary</u></b>						
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD					none	Quarterly
		Biochemical oxygen demand	5	mg/L			
		Conductivity	1000	µS/cm			
		Nitrate	9.1	mg/L			
PH		6.3					
Lab report number		N072028					
Sampled date		23/11/2017					
Lab received date		24/11/2017					
Report received date		30/11/2017					
<b><u>Summary</u></b>							



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater monitoring point at corner of Daisy Hill & Buckajo Rd				none	Quarterly
		Conductivity	850	µS/cm		
		Depth	3.35	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.78	mg/L		
		Phosphorus (total)	0.019	mg/L		
		PH	6.6			
		Available phosphorus	0.007	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

PO Box 123  
Bega NSW 2550  
Australia

Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

EPA Licence number: 1511

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater monitoring point at 'The Ranch' fenceline				none	Quarterly
		Conductivity	880	µS/cm		
		Depth	4.45	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.37	mg/L		
		Phosphorus (total)	0.03	mg/L		
		PH	6.6			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater monitoring point at Bega River crossing, Factory Flats				none	Quarterly
		Conductivity	640	µS/cm		
		Depth	5.00	m		
		Nitrate	0.06	mg/L		
		Nitrogen (total)	1.8	mg/L		
		Phosphorus (total)	0.015	mg/L		
		PH	6.6			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				





# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater monitoring point at Apps Farm near bridge				none	Quarterly
		Conductivity	1400	µS/cm		
		Depth	5.00	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	1.8	mg/L		
		Phosphorus (total)	0.062	mg/L		
		PH	6.7			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater monitoring point at Apps Farm, east river flats				none	Quarterly
		Conductivity	1600	µS/cm		
		Depth	6.30	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.89	mg/L		
		Phosphorus (total)	0.032	mg/L		
		PH	6.4			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater monitoring point at Apps/Ubrihien farm south				none	Quarterly
		Conductivity	250	µS/cm		
		Depth	5.90	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.95	mg/L		
		Phosphorus (total)	0.009	mg/L		
		PH	6.4			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater monitoring point at Ubrihien farm west				none	Quarterly
		Conductivity	1100	µS/cm		
		Depth	7.10	m		
		Nitrate	3.2	mg/L		
		Nitrogen (total)	3.6	mg/L		
		Phosphorus (total)	0.057	mg/L		
		PH	6.3			
		Available phosphorus	0.004	mg/L		
		Lab report number	N072117			
		Sampled date	23/11/2017			
		Lab received date	24/11/2017			
		Report received date	4/12/2017			
		<b><u>Summary</u></b>				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly
		Biochemical oxygen demand	2300	mg/L		
		Conductivity	3751	µS/cm		
		Faecal coliforms	4975000	cfu/100 ml		
		Nitrate	1	mg/L		
		Nitrogen (total)	140	mg/L		
		Phosphorus (total)	52	mg/L		
		Sodium	755	mg/L		
		Sodium adsorption ratio	23			
		Total suspended solids	740	mg/L		
		PH	7.32			
		Lab report number	N072306			
		Sampled date	30/11/2017			
		Lab received date	1/12/2017			
		Report received date	11/12/2017			
<b><u>Summary</u></b>						



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number				
		Sampled date	30/11/2017			
		Lab received date				
		Report received date				
		<b><u>Summary</u></b>				
		No irrigation done from this point for Nov.2017				



# Environment Monitoring Report

**November 2017**

EPA Licence number: 1511

PO Box 123  
Bega NSW 2550  
Australia  
Reception Ph: +61-2-6491 7777  
Environment Line Ph: +61-2-6491 7691

## Glossary

Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam