

September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 12-Air emissions			1	0.35 g/m3	Yearly
	monitoring, back up boiler PPU	Nitrogen Oxides	0.15	g/m3	[T
		Lab report number	R006493	ý — — — — — — — — — — — — — — — — — — —		
		Sampled date	11/09/2018	, ,		
		Lab received date				
		Report received date	8/10/2018	·		
	EPA 22-Air emissions monitoring, main boiler PPU	Nitrogen Oxides	0.17	g/m3	0.35 g/m3	Yearly
		Lab report number	R006493	3,		
		Sampled date	11/09/2018	ļ		
		Lab received date		;		
		Report received date	8/10/2018	;		
		<u>Summary</u>		-		



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions				0.35 g/m3	Yearly
	monitoring, gas boiler stack DPU	Nitrogen Oxides	0.085	g/m3	T	T
		Lab report number	R006493	y — — — — — — — — — — — — — — — — — — —		
		Sampled date	13/09/2018			
		Lab received date				
		Report received date	8/10/2018			
	EPA 7- Air emissions		· · · · · · · · · · · · · · · · · · ·		0.25 g/m3	Yearly
	monitoring, DPU boiler Stack	Particulate matter	0.163	g/m3	i 	 -
		Lab report number	R006493	; ; ;	 	¦
		Sampled date	13/09/2018		i 	i
		Lab received date			i 	i
		Report received date	8/10/2018			
		Summary				



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
	EPA 8-Air emissions monitoring, Whey plant stack				0.25 g/m3	Special frequency 2
	DPU	Particulate matter	0.183	g/m3		
		Lab report number	R006493			
		Sampled date	13/09/2018			
		Lab received date				
		Report received date	8/10/2018			
		Summary				



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
	L3.3 - Noise emissions during day time at the most affected				LA1(15 minute) 53 dB	Yearly
	residential property	Lab report number			(A)	
		Sampled date				
		Report received date				
		Summary Testing is conducted yearly	and is not required this i	month		



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather				none	Daily
		Irrigation Days	30	:		Ţ
	Storage Dam, Angeldale Apps	Volume (Average)	1358	kL/day		
	Farm West, Apps Farm East,	Volume (Min-Max)	957 - 1557	kL/day		
	Apps Flat, Rockleigh, Ubrihien & Factory Flats	Sampled date	30/09/2018			
	EPA 23-Environmental monitoring subsurface drainage	Lab report number	 		none	Quarterly
	sump at WWSD	Sampled date	30/09/2018			
		Lab received date		1		
		Report received date				
		Summary No Sample available from the conditions	his sample point as WW	SD is not used	l due to ongoi	ng dry weather



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 25 - 'Control' Groundwater				none	Quarterly	
	monitoring point at corner of Daisy Hill & Buckajo Rd	Depth	3.70	m			
		Lab report number	· · · · · · · · · · · · · · · · · · ·				
		Sampled date					
		Lab received date					
		Report received date					
		<u>Summary</u>					
	EPA 26 - Groundwater				none	Quarterly	
	monitoring point at 'The Ranch' fenceline	Depth	4.85	m			
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
		Summary					
		Testing is conducted quart	erly and is not required th	nis month			



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater				none	Quarterly
	monitoring point at Bega River crossing, Factory Flats	Depth	5.25	m		Ţ
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
	EPA 28 - Groundwater	Testing is conducted quarte	,, , , , , , , , , , , , , , , , , , , ,		none	Quarterly
	monitoring point at Apps Farm near bridge	Depth	5.20	m		Ţ
	incar bridge	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarte	erly and is not required th	is month		



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater				none	Quarterly
	monitoring point at Apps Farm, east river flats	Depth	6.50	m		Ţ
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
	EPA 30 - Groundwater				none	
		L				Quarterly
	monitoring point at	Depth	6.00	m		Quarterly
	monitoring point at Apps/Ubrihien farm south	Depth Lab report number	6.00	m		Quarterly
			6.00	m		Quarterly
		Lab report number	6.00	m		Quarterly
		Lab report number Sampled date	6.00	m		Quarterly
		Lab report number Sampled date Lab received date	6.00	m		Quarterly



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater				none	Quarterly
	monitoring point at Ubrihien farm west	Depth	7.25	m		
iaiii west	idiii west	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarterl	y and is not required th	nis month		



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality				none	Monthly
	monitoring, DPU holding tanks 1 & 2	Biochemical oxygen demand	2750	mg/L		Ţ
	1 & 2	Conductivity	4039	μS/cm		
		Faecal coliforms	33130000	cfu/100 ml		
		Nitrate	12	mg/L		
		Nitrogen (total)	220	mg/L		
		Phosphorus (total)	52	mg/L		
		Sodium	915	mg/L		
		Sodium adsorption ratio	25			
		Total suspended solids	1000	mg/L		
		PH	8			
		Lab report number	N078099			
		Sampled date	30/09/2018			
		Lab received date	3/10/2018			
		Report received date	11/10/2018			
		Summary				

Page 10 of 12



September 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	& Land EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number				
		Sampled date	30/09/2018			
		Lab received date				
		Report received date				
		Summary No irrigation from the sample p	oint for September 2	2018		



BEGA CHEESE SINCE 1899

PO Box 123 Bega NSW 2550 Australia

Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

September 2018

EPA Licence number: 1511

Glossary	
Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam