

## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly
		Lab report number				T
		Sampled date	31/10/2018			
		Lab received date		; — — — — — — — — — — — — — — — — — — —		
		Report received date				
		Summary				
	EPA 22-Air emissions monitoring, main boiler PPU	Lab report number		 	0.35 g/m3	Yearly
	monitoring, main boller FF o	Lab report number			-	 
		Sampled date		 		 
		Lab received date				
		Report received date				
		<u>Summary</u>				
		Testing is conducted yearly	and is not required this	month		



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions				0.35 g/m3	Yearly
	monitoring, gas boiler stack DPU	Lab report number				T
		Sampled date				 
		Lab received date				
		Report received date				
		<u>Summary</u>				
	EPA 7- Air emissions	Testing is conducted yearly	and is not required this i	month	0.25 g/m3	Yearly
	monitoring, DPU boiler Stack	Lab report number				
		Sampled date	31/10/2018			
		Lab received date				
		Report received date				
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Air EPA 8-Air emissions monitoring, Whey plant stack DPU					0.25 g/m3	Special frequency 2
	DPU	Lab report number				
	Sampled date					
		Lab received date		1		
		Report received date		1		
		Summary  Testing is conducted yearly and	d is not required this	month		



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
	L3.3 - Noise emissions during day time at the most affected				LA1(15 minute) 53 dB	Yearly
	residential property	Lab report number			(A)	
		Sampled date				
		Report received date		; — — — — — — — — — — — — — — — — — — —		
		Summary Testing is conducted yearly	and is not required this i	month		



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 1 – Volume monitoring				none	Daily
	from DPU to utilisation areas - The Ranch, Wet Weather	Irrigation Days	31			
	Storage Dam, Angeldale Apps	Volume (Average)	1355.4	kL/day		
	Farm West, Apps Farm East,	Volume (Min-Max)	1024.5 - 1602.2	kL/day		
	Apps Flat, Rockleigh, Ubrihien & Factory Flats	Sampled date	31/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater				none	Quarterly
	monitoring point at corner of Daisy Hill & Buckajo Rd	Conductivity	790	μS/cm		
	Daisy Till & Buckajo Nu	Depth	3.60	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.65	mg/L		
		Phosphorus (total)	0.043	mg/L		
		PH	6.5			
		Available phophorus	0.007	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater				none	Quarterly
	monitoring point at 'The Ranch' fenceline	Conductivity	820	μS/cm		Ţ
	rencenne	Depth	4.70	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.26	mg/L		
		Phosphorus (total)	0.096	mg/L		
		PH	6.4			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater				none	Quarterly
	monitoring point at Bega River crossing, Factory Flats	Conductivity	1100	μS/cm		Ţ
	crossing, ractory riats	Depth	5.10	m		
		Nitrate	3.1	mg/L		
		Nitrogen (total)	0.21	mg/L		
		Phosphorus (total)	0.015	mg/L		
		PH	6.1			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater				none	Quarterly
	monitoring point at Apps Farm near bridge	Conductivity	1500	μS/cm		
	near bridge	Depth	5.10	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	2.1	mg/L		
		Phosphorus (total)	0.14	mg/L		
		PH	6.6			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater				none	Quarterly
	monitoring point at Apps Farm, east river flats	Conductivity	1200	μS/cm		
	east river riats	Depth	6.40	m		
		Nitrate	0.01	mg/L		
		Nitrogen (total)	0.74	mg/L		
		Phosphorus (total)	0.22	mg/L		
		PH	6.3			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				

Page 10 of 15



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater				none	Quarterly
	monitoring point at Apps/Ubrihien farm south	Conductivity	160	μS/cm		
	Apps/oblinien farm south	Depth	5.95	m		
		Nitrate	0.05	mg/L		
		Nitrogen (total)	0.92	mg/L		
		Phosphorus (total)	0.11	mg/L		
		PH	6.4			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				

06/12/2018 4:49 PM

Page 11 of 15



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater				none	Quarterly
	monitoring point at Ubrihien farm west	Conductivity	1000	μS/cm		-
	iaiii west	Depth	7.20	m		
		Nitrate	1.7	mg/L		
		Nitrogen (total)	0.32	mg/L		
		Phosphorus (total)	0.029	mg/L		
		PH	5.8			
		Available phophorus	0.004	mg/L		
		Lab report number	N078462			
		Sampled date	16/10/2018			
		Lab received date	17/10/2018			
		Report received date	26/10/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly
		Biochemical oxygen demand	2600	mg/L		Ţ
		Conductivity	3814	μS/cm		
		Faecal coliforms	332500	cfu/100 ml		
		Nitrate	14	mg/L		
		Nitrogen (total)	200	mg/L		
		Phosphorus (total)	57	mg/L		
		Sodium	865	mg/L		
		Sodium adsorption ratio	25			
		Total suspended solids	890	mg/L		
		PH	8			
		Lab report number	N078709			
		Sampled date	31/10/2018			
		Lab received date	1/11/2018			
		Report received date	9/11/2018			
		Summary				



## October 2018

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number				
		Sampled date	31/10/2018			
		Lab received date				
		Report received date				
		Summary  No irrigation from the sample	e point for October 201	8		



PO Box 123



EPA Licence number: 1511

# **Environment Monitoring Report**

## October 2018

Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777

Environment Line Ph: +61-2-6491 7691

Glossary			
Abbreviation	Description		
DPU	Dairy Processing Unit, Lagoon St		
Lab	Laboratory		
PPU	Processing & Packaging Plant, Ridge St		
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs		
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.		
WWSD	Wet weather storage dam		