

## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 12-Air emissions				0.35 g/m3	Yearly
	monitoring, back up boiler PPU	Lab report number				T
		Sampled date		; — — — — — — — — — — — — — — — — — — —		
		Lab received date				
		Report received date				
	EPA 22-Air emissions				0.35 g/m3	Yearly
					0.25 ~/~2	Vocale
	monitoring, main boiler PPU	Lab report number			İ	<del> </del>
		Sampled date			-	
		Lab received date				
		Report received date				
		Summary Testing is conducted yearly	and is not required this	month		



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 24 - Air emissions				0.35 g/m3	Yearly	
	monitoring, gas boiler stack DPU	Lab report number				r	
	D1 0	Sampled date				 	
		Lab received date					
		Report received date					
		<u>Summary</u>					
	EPA 7- Air emissions monitoring, DPU boiler Stack	Testing is conducted yearly	and is not required this i	nonth	0.25 g/m3	Yearly	
	memerma, 21 e sener etaen	Lab report number			-	 	
		Sampled date				 	
		Lab received date				i ! 	
		Report received date					
		Summary					
		Testing is conducted yearly	and is not required this i	month			



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
	EPA 8-Air emissions monitoring, Whey plant stack				0.25 g/m3	Special frequency 2
	DPU	Lab report number			 	
	Sampled date					
		Lab received date				
		Report received date				
		Summary Testing is conducted yearly and	l is not required this I	month		



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
	L3.3 - Noise emissions during day time at the most affected				LA1(15 minute) 53 dB	Yearly
	residential property	Lab report number			(A)	
		Sampled date				
		Report received date		; — — — — — — — — — — — — — — — — — — —		
		Summary Testing is conducted yearly	and is not required this I	month		



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 1 – Volume monitoring				none	Daily
	from DPU to utilisation areas - The Ranch, Wet Weather	Irrigation Days	30	:		
	Storage Dam, Angeldale Apps	Volume (Average)	1112.343	kL/day		
	Farm West, Apps Farm East,	Volume (Min-Max)	228.3 - 2665.8	kL/day		
	Apps Flat, Rockleigh, Ubrihien & Factory Flats	Sampled date	30/09/2019			
	EPA 23-Environmental monitoring subsurface drainage	Summary  Lab report number			none	Quarterly
	sump at WWSD	Sampled date	30/09/2019	<del></del>		
		Lab received date	<del>-</del>			
		Report received date				
		Summary  No sample available for Sep	otember 2019 due to dry	climatic cond	ditions	



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater				none	Quarterly
	monitoring point at corner of Daisy Hill & Buckajo Rd	Lab report number		[		-
	Daisy Tilli & Backajo Na	Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
	EPA 26 - Groundwater	Testing is conducted quarte	rly and is not required th	nis month	none	Quarterly
	monitoring point at 'The Ranch'	Lab report number	;	·		1
	fenceline	Sampled date				
		Lab received date				
		Report received date				
		Summary Testing is conducted quarte	rly and is not required th	nis month		



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 27 - Groundwater				none	Quarterly	
	monitoring point at Bega River crossing, Factory Flats	Lab report number					
	crossing, ractory riats	Sampled date					
		Lab received date					
		Report received date					
		Summary					
	EPA 28 - Groundwater	Testing is conducted quarte	erly and is not required th	nis month	none	Quarterly	
	monitoring point at Apps Farm	Lab report number				1	
	near bridge	Sampled date					
		Lab received date					
		Report received date					
		Summary					
		Testing is conducted quarte	erly and is not required th	nis month			



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater				none	Quarterly
	monitoring point at Apps Farm, east river flats	Lab report number				
	cast river riats	Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
		Testing is conducted quarte	erly and is not required th	nis month		Quarterly
	EPA 30 - Groundwater monitoring point at			<del>.</del>	none 	Quarterly
	Apps/Ubrihien farm south	Lab report number				
	' '	Sampled date				
		Lab received date				
		Report received date				
		Summary Testing is conducted quarte	erly and is not required th	nis month		



## September 2019

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency		
	EPA 31 - 'Control' Groundwater				none	Quarterly		
	monitoring point at Ubrihien farm west	Lab report number						
iaiii west	idiii west	Sampled date						
		Lab received date						
		Report received date						
		Summary						
		Testing is conducted quarter	ly and is not required th	nis month				



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality				none	Monthly
	monitoring, DPU holding tanks 1 & 2	Biochemical oxygen demand	1650	mg/L		
	1 & 2	Conductivity	2754	μS/cm		
		Faecal coliforms	1000	cfu/100 ml		
		Nitrate	1	mg/L		
		Nitrogen (total)	120	mg/L		
		Phosphorus (total)	39	mg/L		
		Sodium	840	mg/L		
		Sodium adsorption ratio	26			
		Total suspended solids	800	mg/L		
		PH	7.17			
		Lab report number	N085076			
		Sampled date	30/09/2019			
		Lab received date	1/10/2019			
		Report received date	9/10/2019			
		Summary				



## September 2019

EPA Licence number: 1511

PO Box 123 Bega NSW 2550 Australia

<b>Monitoring Type</b>	<b>Monitoring Point</b>	Pollutant	Measurements	Unit	Limit	Frequency
	EPA 6-Effluent quality & discharge volume monitoring				none	Special frequency 1
	from WWSD holding tank to	Lab report number	· · · · · · · · · · · · · · · · · · ·			
	utilisation areas 'The Ranch' and 'Grevillea'	Sampled date	30/09/2019			
		Lab received date				
		Report received date				
		Summary  No irrigation from this samp	le point for September 2	2019.		



September 2019

BEGA CHEESE SINCE 1899

PO Box 123 Bega NSW 2550 Australia

Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

### EPA Licence number: 1511

Glossary	
Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam