



EPA Licence number: 1511

February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly	
r		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	EPA 22-Air emissions				0.35 g/m3	Yearly	
	monitoring, main boiler PPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
		Summary					
		Testing is conducted quarterly	and is not required th	nis month			





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions monitoring, gas boiler stack DPU				0.35 g/m3	Yearly
monitoring, g DPU		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
	EPA 7- Air emissions	<u>Summary</u>				
		Testing is conducted yearly	and is not required this r	nonun	0.25 g/m3	Yearly
	monitoring, DPU boiler Stack	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u> Testing is conducted quarte	erly and is not required th	nis month		





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 8-Air emissions monitoring, Whey plant stack				0.25 g/m3	Special frequency 2
	DPU	Lab report number				
		Sampled date		r		
		Lab received date		r		
		Report received date			I	
		Summary Testing is conducted quarterly a	and is not required th	nis month		



BEGA CHEESE SINCE 1899

February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
night time (10pm to 7am) at	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential				LA10(15 minutes) 45dB (A)	Yearly
	property	Lab report number				
		Sampled date				
		Report received date				
		<u>Summary</u>				
	L3.3 - Noise emissions during day time at the most affected residential property	Testing is conducted yearly			LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		<u>Summary</u>				
		Testing is conducted yearly	and is not required this r	month		



BEGA CHEESE SINCE 1899

February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 1 – Volume monitoring				none	Daily
	from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps	Irrigation Days	28	· · · · · · · · · · · · · · · · · · ·		
		Volume (Average)	1190	kL/day		
	Farm West, Apps Farm East,	Volume (Min-Max)	673 - 1431	kL/day		
	Apps Flat, Rockleigh, Ubrihien & Factory Flats	Sampled date	28/02/2021			
		<u>Summary</u>				
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD	Lab report number			none	Quarterly
		Lab report number				
		Sampled date	28/02/2021			
		Lab received date	· · · · · · · · · · · · · · · · · · ·			
		Lab received date Report received date				





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater monitoring point at corner of Daisy Hill & Buckajo Rd				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
		Testing is conducted quarte	erly and is not required th	his month	2020	Quarterly
	EPA 26 - Groundwater monitoring point at 'The Ranch'				none	Quarterly
	fenceline	Lab report number				
		Sampled date				1
		Lab received date				
		Report received date				
		<u>Summary</u> Testing is conducted quarte	erly and is not required th	is month		





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater monitoring point at Bega River crossing, Factory Flats				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
	EPA 28 - Groundwater	Testing is conducted quarte	eriy and is not required tr	his month	none	Quarterly
	monitoring point at Apps Farm near bridge	Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u> Testing is conducted quarte	erly and is not required th	nis month		





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

wonitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
mo	EPA 29 - Groundwater monitoring point at Apps Farm, east river flats				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<u>Summary</u>				
	EPA 30 - Groundwater					
	EPA 30 - Groundwater				none	Quarterly
	monitoring point at	Lab report number			none	Quarterly
		Lab report number Sampled date			none	Quarterly
	monitoring point at				none	Quarterly
	monitoring point at	Sampled date			none	Quarterly



BEGA CHEESE SINCE 1899

Environment Monitoring Report

February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	Water & Land EPA 31 - 'Control' Groundwater monitoring point at Ubrihien farm west				none	Quarterly
		Lab report number				
Tarini west	Sampled date					
		Lab received date			 	
		Report received date			1 1 1	
		<u>Summary</u>				
		Testing is conducted quarterly	and is not required th	nis month		





February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality				none	Monthly
monitoring, DPU holding tanks 1 & 2	Biochemical oxygen demand	3750	mg/L			
	Conductivity	2655	μS/cm			
	Faecal coliforms	100	cfu/100 ml			
		Nitrate	95	mg/L		
		Nitrogen (total)	250	mg/L		
		Phosphorus (total)	67	mg/L		
		Sodium	555	mg/L		
		Sodium adsorption ratio	16			
		Total suspended solids	1400	mg/L		
		РН	6.96			
		Lab report number	N094019			
		Sampled date	28/02/2021			
		Lab received date	3/03/2021			
		Report received date	15/03/2021			
		<u>Summary</u>				



February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number	· · · · · · · · · · · · · · · · · · ·			
		Sampled date	28/02/2021			
		Lab received date				
		Report received date				
		<u>Summary</u> No irrigation from this samp	le point for Feb-2021			



February 2021

PO Box 123 Bega NSW 2550 Australia Reception Ph: +61-2-6491 7777 Environment Line Ph: +61-2-6491 7691

Glossary	
Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam

EPA Licence number: 1511

BEGA CHEESE SINCE 1899