



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	Summary		Testing is conducted yearly and is not required this month				
	EPA 22-Air emissions monitoring, main boiler PPU					0.35 g/m3	Yearly
		Lab report number					
		Sampled date					
		Lab received date					
Report received date							
Summary		Testing is conducted yearly and is not required this month					



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 24 - Air emissions monitoring, gas boiler stack DPU				0.35 g/m3	Yearly
	Lab report number Sampled date Lab received date Report received date Summary Testing is conducted yearly and is not required this month					
	EPA 7- Air emissions monitoring, DPU boiler Stack				0.25 g/m3	Yearly
	Lab report number Sampled date Lab received date Report received date Summary Service provider unavailable. Planned for May 2023.		30/04/2023			



BEGA CHEESE
SINCE 1899

Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 8-Air emissions monitoring, Whey plant stack DPU				0.25 g/m3	Special frequency 2
		Lab report number				
		Sampled date	30/04/2023			
		Lab received date				
		Report received date				
		<u>Summary</u> Service provider unavailable. Planned for May 2023.				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential property				LA10(15 minutes) 45dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		Summary		Testing is conducted yearly and is not required this month		
Noise	L3.3 - Noise emissions during day time at the most affected residential property				LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		Summary		Testing is conducted yearly and is not required this month		



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats				none	Daily	
		Irrigation Days	30				
		Volume (Average)	981	kL/day			
		Volume (Min-Max)	289 - 1472	kL/day			
		Sampled date	30/04/2023				
	<u>Summary</u>						
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD					none	Quarterly
		Lab report number					
		Sampled date	30/04/2023				
		Lab received date					
Report received date							
<u>Summary</u>							
No sample available for April 2023 due to dry climatic conditions.							



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater monitoring point at corner of Daisy Hill & Buckajo Rd				none	Quarterly
		Conductivity	890	µS/cm		
		Depth	2.50	m		
		Nitrate	0.005	mg/L		
		Nitrogen (total)	0.46	mg/L		
		Phosphorus (total)	0.024	mg/L		
		PH	6.5			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/05/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 26 - Groundwater monitoring point at 'The Ranch' fenceline				none	Quarterly
		Conductivity	1200	µS/cm		
		Depth	4.10	m		
		Nitrate	0.055	mg/L		
		Nitrogen (total)	0.38	mg/L		
		Phosphorus (total)	0.021	mg/L		
		PH	6.4			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/04/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



BEGA CHEESE
SINCE 1899

Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater monitoring point at Bega River crossing, Factory Flats	Lab report number			none	Quarterly
		Sampled date	30/04/2023			
		Lab received date				
		Report received date				
		Summary	No sample taken - damaged bore.			



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 28 - Groundwater monitoring point at Apps Farm near bridge				none	Quarterly
		Conductivity	1100	µS/cm		
		Depth	4.80	m		
		Nitrate	0.005	mg/L		
		Nitrogen (total)	1.5	mg/L		
		Phosphorus (total)	0.095	mg/L		
		PH	6.7			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/04/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater monitoring point at Apps Farm, east river flats				none	Quarterly
		Conductivity	1300	µS/cm		
		Depth	6.00	m		
		Nitrate	1.2	mg/L		
		Nitrogen (total)	1	mg/L		
		Phosphorus (total)	0.014	mg/L		
		PH	6.3			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/04/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 30 - Groundwater monitoring point at Apps/Ubrihien farm south				none	Quarterly
		Conductivity	190	µS/cm		
		Depth	5.65	m		
		Nitrate	0.021	mg/L		
		Nitrogen (total)	0.89	mg/L		
		Phosphorus (total)	0.25	mg/L		
		PH	6.3			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/04/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater monitoring point at Ubrihien farm west				none	Quarterly
		Conductivity	1300	µS/cm		
		Depth	7.00	m		
		Nitrate	5.1	mg/L		
		Nitrogen (total)	0.75	mg/L		
		Phosphorus (total)	0.046	mg/L		
		PH	6			
		Available phosphorus	0.004	mg/L		
		Lab report number	N108626			
		Sampled date	17/04/2023			
		Lab received date	18/04/2023			
		Report received date	30/04/2023			
		<u>Summary</u>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly
		Biochemical oxygen demand	1800	mg/L		
		Conductivity	3369	µS/cm		
		Faecal coliforms	100	cfu/100 ml		
		Nitrate	5	mg/L		
		Nitrogen (total)	110	mg/L		
		Phosphorus (total)	27	mg/L		
		Sodium	670	mg/L		
		Sodium adsorption ratio	23			
		Total suspended solids	670	mg/L		
		PH	7.37			
		Lab report number	N108969			
		Sampled date	30/04/2023			
		Lab received date	2/05/2023			
		Report received date	16/05/2023			
<u>Summary</u>						



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Lab report number				
		Sampled date	30/04/2023			
		Lab received date				
		Report received date				
		<p><u>Summary</u></p> <p>No irrigation from this sample point for April 2023.</p>				



Environment Monitoring Report

April 2023

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Glossary

Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam